

# Multisystem Inflammatory Syndrome Fast Facts

Multisystem Inflammatory Syndrome in Children (MIS-C) is a condition where multiple organ systems become inflamed during an illness. The cause of MIS-C is still unknown; however, it is known that MIS-C is associated with COVID-19.



## Symptoms of MIS-C

Call your family doctor or pediatrician right away if your child has a fever of 100.4 or more lasting more than 24 hours, or if your child has a fever and any of these symptoms:

- Stomach pain
- Bloodshot eyes
- Chest tightness/pain
- Diarrhea
- Rash
- Extra tired
- Headache
- Dizziness or light-headedness
- Neck pain
- Vomiting



## Seek Emergency Care

- If your child is showing any of the signs listed below, call 911 and get emergency medical care immediately:
- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion
- Inability to wake or stay awake
- Pale, gray, or blue-colored skin, lips, or nail beds, depending on skin tone



In case of emergency dial 911  
For more information,  
please contact your family's primary care provider  
or visit your local health clinic.



# Datos breves sobre el síndrome inflamatorio multisistémico

El síndrome inflamatorio multisistémico en niños (MIS-C) es una afección en la que varios sistemas de órganos se inflaman durante una enfermedad. La causa de MIS-C es aún desconocida; sin embargo, se sabe que MIS-C está asociado con COVID-19.



## Síntomas de MIS-C

Llame a su médico de cabecera o pediatra de inmediato si su hijo tiene una fiebre de 100,4 o más que dura más de 24 horas, o si su hijo tiene fiebre y alguno de estos síntomas:

- Dolor de estómago
- Ojos inyectados en sangre
- Opresión / dolor en el pecho
- Diarrea
- Sarpullido
- Está más cansado de lo habitual
- Dolor de cabeza
- Mareos o aturdimiento
- Dolor de cuello
- Vómitos



## Busque atención de emergencia

- Si su hijo muestra alguno de los signos que se enumeran a continuación, llame al 911 y obtenga atención médica de emergencia de inmediato:
- Dificultad para respirar
- Dolor o presión persistente en el pecho.
- Confusión nueva
- Incapacidad para despertar o permanecer despierto
- Piel, labios o lecho ungueal pálidos, grises o azules, según el tono de piel



En caso de emergencia, llame al 911  
Para obtener más información, comuníquese con su médico  
de cabecera o vaya a una clínica local.